

Drahtbiegeezangen

Wire Bending Pliers



Flachzangen
Flat Nose Pliers

Teleskopkronenzangen
Telescope Crown Pliers

Flachzangen
Flat Nose Pliers

Bestell-Nr.
Order-No.



14,5 cm



Ref. 32-1



14,5 cm



Ref. 32-2



14,5 cm



Ref. 32-3



15,0 cm



Ref. 32-4



14,0 cm

Goslee



Ref. 32-5



14,0 cm

Goslee



Ref. 32-6



13,5 cm

Goslee





Ref. 32-7



Bestell-Nr.
Order-No.

Nance

Ref. 32-8



13,0 cm

max. 0,5 mm

Schwarz

Ref. 32-9



13,0 cm

max. 0,7 mm

Schwarz

Ref. 32-10



13,0 cm

Schwarz

Ref. 32-11



13,0 cm

max. 0,8 mm

Andresen


Ref. 32-12



14,0 cm

Schwarz


Ref. 32-13



14,0 cm

max. 0,7 - 1,0 mm

Ref. 32-14



14,0 cm

max. 0,7 mm




Ref. 32-15




Ref. 32-16

Jarabak




Ref. 32-17

Angle




Ref. 32-18

Aderer




Ref. 32-19



Ref. 32-20

Aderer





Ref. 32-21

Bestell-Nr.
Order-No.

Young

Ref. 32-22



14,0 cm

max. 0,7 mm

Ref. 32-23



13,0 cm

Frevert


Ref. 32-24



12,0 cm

Adams

Ref. 32-25




14,5 cm

max. 0,75 mm

Aderer

Ref. 32-26



12,5 cm

max. 1,2 mm

Reynold

Ref. 32-27



12,5 cm

Angle

Ref. 32-28



12,0 cm

Schwarz




11,5 cm

max. 0,7 mm

Ref. 32-30


Nance



12,5 cm

max. 0,7 mm


Ref. 32-31



11,5 cm

max. 0,7 mm

Ref. 32-32




Waldsachs



15,0 cm

max. 1,0 mm


Ref. 32-33



14,0 cm

How

Ref. 32-34



13,0 cm

Weingart

Ref. 32-35



Bestell-Nr.
Order-No.

McKellops

Ref. 32-36



16,0 cm

max. 1,5 mm

McKellops

Ref. 32-37




16,0 cm

max. 1,5 mm

Kupferringentferner Copper Ring Remover


Ref. 32-40



15,0 cm

Teleskopkronenzange Telescope Crown Plier

Ref. 32-41



12,5 cm


Kramponzangen mit feiner Spitze

Ref. 32-38A




16,0 cm

Bending max. 0,9 mm
cutting max. 0,7 mm




Kramponzangen mit feiner Spitze

Ref. 32-39A



16,0 cm

Bending max. 0,9 mm
cutting max. 0,7 mm




Mini-Kramponzangen mit feiner Spitze

Ref. 32-39B



12,0 cm

Bending max. 0,9 mm
cutting max. 0,7 mm




Bestell-Nr.
Order-No.

Ref. 32-45



- verhindert die Verletzungsgefahr und schont Hände und Finger
- temperaturbeständig bis 150° C
- umfassende Bearbeitung aller Flächen und Ränder von Kronen und Inlays



Spreitzpinzette mit Dehnschraube

Ref. 32-44 gebogen



Kera-Grip II (gebogen)

Ref. 32-47

- Haltezange für Keramikronen
- inklusive Diamanteinsätze

Ref. 32-47A



Diamanteinsätze
1 Paar



Teleskopkronenzange FG

Ref. 32-43

Größe 11,6 cm, auswechselbare Spitzen für Diamanten mit FG Schaft (Lieferung mit Einsätzen)



Teleskopkronenzange diamantiert

Ref. 32-42

Körnung D 107
12,0 cm

